

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	438	search near2 portal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 11:27
S7	26	S6 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:08
S5	438	search near2 portal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:08
S10	801	S9 and (user adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:21
S9	20335	content near3 (distribut\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:21
S8	1	S7 and (zip and ticket\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:21
S12	426	S11 and (search\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:22
S13	17	S12 and (search\$6 with (media near3 content))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:30

EAST Search History

S15	5	"674680".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 14:55
S16	5	"263015".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:01
S14	12	S13 and (purchase or buy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/21 16:01
S21	2	S18 and (interpret\$3 near5 (user adj profile\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 10:44
S20	0	S18 and (interpret\$3 near5 (user adj profiles))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 10:44
S19	3401	S18 and interpret\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/29 10:44
S1	1651170	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 11:28
S24	0	"20050071323" and (software with hardware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:49

EAST Search History

S22	2	"20050071323" and apparatus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 12:49
S23	2	"20030208767" and (television or tv or vod or satellite or pay or video or demand or theater\$1 or vhs or dvd or cd or radio or audio or streaming)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 13:02
S26	2	"20030208737"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 14:29
S25	1	"20040003097" and (television or tv or vod or satellite or pay or video or demand or theater\$1 or vhs or dvd or cd or radio or audio or streaming)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 14:29
S27	2	"20030208767"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 14:30
S29	1	"20040003097" and movie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 14:32
S28	1	"20030208767" and movie	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 14:32
S4	26	S3 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:12

EAST Search History

S35	3	S33 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:14
S38	33	S37 and (show near3 time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:15
S34	56	S32 and schedul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:15
S41	734	S40 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:16
S31	206	S30 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:16
S39	23	S38 and schedul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:17
S33	7	S32 and (show near3 time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:17
S37	685	S36 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:18

EAST Search History

S48	10	S46 and (show near3 time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:19
S53	26	S52 and (show near3 time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:20
S52	141	S51 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:20
S50	9	S49 and (show near3 time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:20
S47	1	"L117" and (show near3 time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:20
S46	371	S45 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:20
S43	123	S42 and (show near3 time\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:20
S54	26	S53 and schedul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:21

EAST Search History

S44	110	S43 and schedul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 16:21
S56	0	"20040049516" and (comupter near2 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 09:34
S55	2	"20040049516"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 09:34
S59	2	"20040049516" and (system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 09:35
S58	0	"20040049516" and (comupter near5 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 09:35
S57	0	"20040049516" and (comupter near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 09:35
S60	2	"20040049516" and (computer near2 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:44
S63	242	707/100.ccls. and (function near2 call\$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:45

EAST Search History

S62	6	707/100.ccls. and (queue near3 header\$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:45
S65	2	"20040049516" and (library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:54
S66	1	"6490666".pn. and (library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:55
S68	5405	(library near2 function\$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 10:56
S72	2	"5706437".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 11:48
S73	5	"785853".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 12:49
S3	310	S2 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:10
L2	231	L1 and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:10

EAST Search History

L1	664	search near2 portal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:10
S6	310	S5 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
L10	503	L9 and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
L9	1366	L8 and (user adj profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
L8	27978	content near3 (distribut\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
L7	100	L4 and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
L5	231	L4 and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
L4	664	search near2 portal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11

EAST Search History

L3	100	L1 and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:11
S18	15491	((((user adj profile\$1) with preference\$1) search\$3) with content\$1) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
S17	26448	((((user adj profile\$1) with preference\$1) search\$3) same content\$1) and @ad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
S11	597	S10 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
L16	9440	((((user adj profile\$1) with preference\$1) search\$3) with content\$1) and @prad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
L15	7191	((((user adj profile\$1) with preference\$1) search\$3) with content\$1) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
L14	14480	((((user adj profile\$1) with preference\$1) search\$3) same content\$1) and @prad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
L13	12531	((((user adj profile\$1) with preference\$1) search\$3) same content\$1) and @rlad<"20020501"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12

EAST Search History

L12	119	L9 and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:12
S32	206	707/104.1.ccls. and @ad<"20030801" and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:13
S30	4586	707/104.1.ccls. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:13
L20	58	707/104.1.ccls. and @prad<"20030801" and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:13
L19	134	707/104.1.ccls. and @rlad<"20030801" and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:13
L18	1236	707/104.1.ccls. and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:13
L17	1776	707/104.1.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:13
S42	734	S41 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14

EAST Search History

S40	2481	725/37-59.ccls. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
S36	27941	"707".clas. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
L26	751	L25 and (video and movie and audio)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
L25	2545	725/37-59.ccls. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
L24	1020	725/37-59.ccls. and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
L23	1336	725/37-59.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
L22	11723	"707".clas. and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14
L21	15207	"707".clas. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:14

EAST Search History

S49	422	707/104.1.ccls. and (user near5 profile\$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
S45	13121	707/100-200.ccls. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
L34	68	707/104.1.ccls. and (user near5 profile\$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
L33	237	707/104.1.ccls. and (user near5 profile\$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
L32	68	707/104.1.ccls. and (user near5 profile\$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
L31	237	707/104.1.ccls. and (user near5 profile\$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
L30	3384	707/100-200.ccls. and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
L29	5069	707/100-200.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15

EAST Search History

L28	112	L26 and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
L27	300	L26 and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:15
L37	1386	707/100.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:16
L36	83	725/37-59.ccls. and (user near5 profile\$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:16
L35	262	725/37-59.ccls. and (user near5 profile\$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:16
S64	8	707/100.ccls. and ((function near2 call\$1) same queue\$3) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
S61	3262	707/100.ccls. and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
S51	350	725/37-59.ccls. and (user near5 profile\$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17

EAST Search History

L43	4	707/100.ccls. and ((function near2 call\$1) same queue\$3) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
L42	6	707/100.ccls. and ((function near2 call\$1) same queue\$3) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
L41	906	707/100.ccls. and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
L40	1386	707/100.ccls. and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
L39	83	725/37-59.ccls. and (user near5 profile\$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
L38	262	725/37-59.ccls. and (user near5 profile\$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:17
S70.	26	(library near2 function\$1 near5 queue\$) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
S67	8849	(library near5 function\$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18

EAST Search History

L49	3	((library near2 function\$1) same queue\$3 same header\$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
L48	5	(library near2 function\$1 near5 queue\$) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
L46	5	(library near2 function\$1 near5 queue\$) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
L44	4364	(library near5 function\$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:18
S71	19	(library near2 function\$1 near4 queue\$3) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:19
S69	7	((library near2 function\$1) same queue\$3 same header\$1) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:19
L51	5	(library near2 function\$1 near4 queue\$3) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:19
L50	0	((library near2 function\$1) same queue\$3 same header\$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:19

EAST Search History

L52	4	(library near2 function\$1 near4 queu\$3) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:34
L53	5	"674680".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:41
L54	1	"674680".ap. and (Schedul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:46
L56	1	"674680".ap. and (user\$1 with select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:47
L55	0	"674680".ap. and (user\$1 with select\$3 with profile\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:47
L59	2	"20030208767" and (schedul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:59
L58	2	"20030208767"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:59
L57	1	"674680".ap. and ((user\$1 with select\$3) or profile\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:59

EAST Search History

L45	2183	(library near5 function\$1) and @prad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:04
L60	132103	((search\$3 or quer\$3) with schedul\$3 with result\$1) media and content\$1)and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:05
L61	132103	((search\$3 or quer\$3) with schedul\$3 with result\$1) media and content\$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:07
L62	186	((search\$3 or quer\$3) with schedul\$3 with result\$1) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:08
L63	35	((search\$3 or quer\$3) with schedul\$3 with result\$1) and (media same content\$1)) and @rlad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:25
L64	1	"20040172415" and schedul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:32
L65	2	"20040003097"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 10:33
L66	1	"20040003097" and (schedul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:32

EAST Search History

L67	1	"20030208767" and (profile\$1 or zip or select\$3 or menu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:42
L68	2	"20040003097" and (profile\$1 or zip or select\$3 or menu)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 11:43


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

user profile media content schedule


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used: [user profile media content schedule](#)

Found 77,271 of 211,032

Sort results by

relevance


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results

expanded form


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Applications on the go: MediaAlert - a broadcast video monitoring and alerting system for mobile users](#)



Bin Wei, Bernard Renger, Yih-Farn Chen, Rittwik Jana, Huale Huang, Lee Begeja, David Gibbon, Zhu Liu, Behzad Shahraray

 June 2005 **Proceedings of the 3rd international conference on Mobile systems, applications, and services MobiSys '05**

Publisher: ACM Press

 Full text available: [pdf\(593.10 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

We present a system for automatic monitoring and timely dissemination of multimedia information to a range of mobile information appliances based on each user's interest profile. Multimedia processing algorithms detect and isolate relevant video segments from over twenty television broadcast programs based on a collection of words and phrases specified by the user. Content repurposing techniques are then used to convert the information into a form that is suitable for delivery to the user's mobile ...

Keywords: alerting, automatic speech recognition (ASR), content adaptation, content repurposing, mobile devices, multimedia messaging, multimedia processing, news monitoring, notification, service platform

2 [Understanding accessibility: Profiling learners with special needs for custom e-learning experiences, a closed case?](#)



Paola Salomoni, Silvia Mirri, Stefano Ferretti, Marco Rocchetti

 May 2007 **Proceedings of the 2007 international cross-disciplinary conference on Web accessibility (W4A) W4A '07**

Publisher: ACM Press

 Full text available: [pdf\(113.33 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Contrary to what is commonly thought, profiling users and devices is still a complex issue, especially in the case of learners with special needs, who deserve a customized access to e-learning platforms. A plethora of languages, protocols and tools have been proposed which can be exploited to create users' and devices' profiles, separately. Unfortunately, none of them is really effective in capturing the fundamentals of a learner profile, when used in isolation. Here we discuss a practical approach ...

Keywords: device capabilities, e-learning accessibility, learners' preferences, profiling

3 [Web and e-business application: User adaptive content delivery mechanism on the world wide web](#)





USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used: [user profile search media content schedule](#)

Found 78,708 of 211,032

Sort results by

[Save results to a Binder](#)[Try an Advanced Search](#)

Display results

[Search Tips](#)[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Applications on the go: MediaAlert - a broadcast video monitoring and alerting system for mobile users](#)



Bin Wei, Bernard Renger, Yih-Farn Chen, Rittwik Jana, Huale Huang, Lee Begeja, David Gibbon, Zhu Liu, Behzad Shahraray

 June 2005 **Proceedings of the 3rd international conference on Mobile systems, applications, and services MobiSys '05**

Publisher: ACM Press

Full text available: [pdf\(593.10 KB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

We present a system for automatic monitoring and timely dissemination of multimedia information to a range of mobile information appliances based on each user's interest profile. Multimedia processing algorithms detect and isolate relevant video segments from over twenty television broadcast programs based on a collection of words and phrases specified by the user. Content repurposing techniques are then used to convert the information into a form that is suitable for delivery to the user's mobile ...

Keywords: alerting, automatic speech recognition (ASR), content adaptation, content repurposing, mobile devices, multimedia messaging, multimedia processing, news monitoring, notification, service platform

2 [Exploiting perception in high-fidelity virtual environments: Exploiting perception in high-fidelity virtual environments](#)


Additional presentations from the 24th course are available on the citation page

 Mashhuda Glencross, Alan G. Chalmers, Ming C. Lin, Miguel A. Otaduy, Diego Gutierrez
 July 2006 **ACM SIGGRAPH 2006 Courses SIGGRAPH '06**

Publisher: ACM Press

 Full text available: [pdf\(5.07 MB\)](#) [mov\(68:6 MIN\)](#)

 Additional Information: [full citation](#), [appendices and supplements](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

The objective of this course is to provide an introduction to the issues that must be considered when building high-fidelity 3D engaging shared virtual environments. The principles of human perception guide important development of algorithms and techniques in collaboration, graphical, auditory, and haptic rendering. We aim to show how human perception is exploited to achieve realism in high fidelity environments within the constraints of available finite computational resources. In this course we ...

Keywords: collaborative environments, haptics, high-fidelity rendering, human-computer interaction, multi-user, networked applications, perception, virtual reality


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

user profile search media available content schedule


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used:

[user profile search media available content schedule](#)

Found 84,593 of 211,032

Sort results by

Display results

[Save results to a Binder](#)
[Search Tips](#)
☐ Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Exploiting perception in high-fidelity virtual environments: Exploiting perception in high-fidelity virtual environments](#)



[Additional presentations from the 24th course are available on the citation page](#)

 Mashhuda Glencross, Alan G. Chalmers, Ming C. Lin, Miguel A. Otaduy, Diego Gutierrez
 July 2006 **ACM SIGGRAPH 2006 Courses SIGGRAPH '06**

Publisher: ACM Press

 Full text available: [pdf\(5.07 MB\)](#) [Additional Information: full citation, appendices and supplements, mov\(68:6 MIN\)](#) [abstract, references, cited by, index terms](#)

The objective of this course is to provide an introduction to the issues that must be considered when building high-fidelity 3D engaging shared virtual environments. The principles of human perception guide important development of algorithms and techniques in collaboration, graphical, auditory, and haptic rendering. We aim to show how human perception is exploited to achieve realism in high fidelity environments within the constraints of available finite computational resources. In this course w ...

Keywords: collaborative environments, haptics, high-fidelity rendering, human-computer interaction, multi-user, networked applications, perception, virtual reality

2 [Applications on the go: MediaAlert - a broadcast video monitoring and alerting system for mobile users](#)


 Bin Wei, Bernard Renger, Yih-Farn Chen, Rittwik Jana, Huale Huang, Lee Begeja, David Gibbon, Zhu Liu, Behzad Shahraray
 June 2005 **Proceedings of the 3rd international conference on Mobile systems, applications, and services MobiSys '05**

Publisher: ACM Press

 Full text available: [pdf\(593.10 KB\)](#) [Additional Information: full citation, abstract, references, cited by, index terms](#)

We present a system for automatic monitoring and timely dissemination of multimedia information to a range of mobile information appliances based on each user's interest profile. Multimedia processing algorithms detect and isolate relevant video segments from over twenty television broadcast programs based on a collection of words and phrases specified by the user. Content repurposing techniques are then used to convert the information into a form that is suitable for delivery to the user's mobile ...

Keywords: alerting, automatic speech recognition (ASR), content adaptation, content repurposing, mobile devices, multimedia messaging, multimedia processing, news monitoring, notification, service platform


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) - [Recent articles](#) Results **1 - 10** of about **77,600** for **user profile search media** . (0.24 seconds)

All Results

[M Pazzani](#)
[D Billsus](#)
[H Lieberman](#)
[M Balabanović](#)
[Y Shoham](#)

[Learning and Revising User Profiles: The Identification of Interesting Web Sites - all 15 versions »](#)

M Pazzani, D Billsus - Machine Learning, 1997 - Springer

... controls that can be selected to collect **user** ratings on ... Syskill & Webert to learn a **profile**, suggest which ... Mauldin & Leavitt, 1994), a Web **search** engine, to ...

Cited by 477 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Let's browse: a collaborative browsing agent - all 21 versions »](#)

H Lieberman, N van Dyke, A Vivacqua - Knowledge-Based Systems, 1999 - Elsevier

... a common page, in our case the **Media** Lab's home ... scan from the initial page, filtering through the **user profiles**. ... 3. Breadth-first **search** of graph of linked Web ...

Cited by 160 - [Related Articles](#) - [Web Search](#)

[Modeling interaction and media objects - all 7 versions »](#)

KD Schewe, B Thalheim - Proceedings of the 5th International Conference on ..., 2000 - Springer

... Modeling Interaction and **Media** Objects 321 ... the general overview being replaced by a **search** access or ... Users are characterized by the **user profile** [1] which is ...

Cited by 33 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[System for generation of user profiles for a system for customized electronic identification of ... - all 3 versions »](#)

FSM Herz, JM Eisner, LH Ungar, MP Marcus - US Patent 5,754,939, 1998 - Google Patents

... small electronic **media** and are accessible via a data communicat- ... pick- "**search profile** set" of a **user**, (h.) a collection of target ing ...

Cited by 206 - [Related Articles](#) - [Web Search](#)

[Evolving agents for personalized information filtering](#)

B Sheth, P Maes - Artificial Intelligence for Applications, 1993. Proceedings. ..., 1993 - ieeexplore.ieee.org

... We then show how a genetic algorithm combined with individual learning can be used for the **search** of a **user profile**. Pattie Maes MIT **Media** Lab 20 Ames St. ...

Cited by 187 - [Related Articles](#) - [Web Search](#)

[WebMate: a personal agent for browsing and searching - all 13 versions »](#)

L Chen, K Sycara - Proceedings of the second international conference on ..., 1998 - portal.acm.org

... It can learn the **user profile** and compile personal newspaper, help the **user** improve the **search** by keyword expansion and relevance feedback ...

Cited by 329 - [Related Articles](#) - [Web Search](#)

[Fab: content-based, collaborative recommendation - all 15 versions »](#)

M Balabanović, Y Shoham - Communications of the ACM, 1997 - portal.acm.org

... to pass to various commercial Web **search** engines that ... with an average of all the **user profiles** in the ... rather than maintaining their own specialized **profile**. ...

Cited by 862 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[... personal profile server with updates to additional user information gathered from monitoring user's ... - all 3 versions »](#)

R Dedrick - US Patent 5,710,884, 1998 - Google Patents

... FOR AUTOMATICALLY UPDATING PERSONAL **PROFILE** SERVER WITH ... INFORMATION GATHERED FROM

MONITORING **USER'S** ELECTRONIC CONSUMING ... 395/200.47 [58] Field of **Search** 395/828 ...


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar All articles - **Recent articles** Results 1 - 10 of about 34,000 for **user profile search media availability**. (0.14

All Results

[T Gerace](#)
[R Root](#)
[P Bellayista](#)
[R Dedrick](#)
[J Hower](#)

Apparatus and method for determining printer option **availability** and representing conflict

... - all 3 versions »

JD Hower Jr, ML Campanella - US Patent 5,467,434, 1995 - Google Patents

... CI 395/114; 395/112 [58] Field of **Search** 395/110 ... programmed combination of printjob selections from the **user** interface with ... PRINTQUEUES)—.-PRINTER **PROFILE** ...

Cited by 125 - [Related Articles](#) - [Web Search](#)

Impulse: Location-based Agent Assistance - all 14 versions »

J Youll, J Morris, R Krikorian, P Maes - Software Demos, in Proc. of the Fourth International ..., 2000 - [media.mit.edu](#)

... is a time-and-place storage system for digital **media**. ... **user**, a physical radius in which to **search**, and a ... Want data to build an internal **user profile** that leads ...

Cited by 28 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

System for generation of **user** profiles for a system for customized electronic identification of ... - all 3 versions »

FSM Herz, JM Eisner, LH Ungar, MP Marcus - US Patent 5,754,939, 1998 - Google Patents

... small electronic **media** and are accessible via a data communica- ... pick- "**search profile set**" of a **user**, (h.) a collection of target ing ...

Cited by 206 - [Related Articles](#) - [Web Search](#)

Design of a multi-**media** vehicle for social browsing - all 2 versions »

RW Root - Proceedings of the 1988 ACM conference on Computer-supported ..., 1988 - [portal.acm.org](#)

... 2.1 A Virtual Workplace The multi-**media** network allows us to ... virtual world fn **search** of social encounters, and ... from their **user profile**, we may also invoke ...

Cited by 172 - [Related Articles](#) - [Web Search](#)

I 2 Cnet: Content-based similarity **search** in geographically distributed repositories of medical ... - all 9 versions »

SC Orphanoudakis, CE Chronaki, D Vamvaka - Computerized Medical Imaging and Graphics, 1996 - [ics.forth.gr](#)

... Other content-based similarity **search** engines (CBSS ... functions: • actively collect **profile** data • resolve ... transparent requests • learn from **user** feedback ...

Cited by 35 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

... personal **profile** server with updates to additional **user** information gathered from monitoring **user's** ... - all 3 versions »

R Dedrick - US Patent 5,710,884, 1998 - Google Patents

... FOR AUTOMATICALLY UPDATING PERSONAL **PROFILE** SERVER WITH ... INFORMATION GATHERED FROM

MONITORING **USER'S** ELECTRONIC CONSUMING ... 395/200.47 [58] Field of **Search** 395/828 ...

Cited by 105 - [Related Articles](#) - [Web Search](#)

... particular **media** devices in multiple **media** device computing systems based on context of a **user** or ... - all 3 versions »

MM Theimer, MJ Spreitzer, MD Weiser, RJ Goldstein, ... - US Patent 5,812,865, 1998 - Google Patents

... 200.04; 395/200.12; 395/806; 379/93; 379/88 [58] Field of **Search** 395/800 ... Establish Communication Path Between Appropriate **Media** Devices ... 3 **User Profile** Calendar ...

Cited by 50 - [Related Articles](#) - [Web Search](#)


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) - [Recent articles](#) Results **1 - 10** of about **11,800** for [user profile search media availability sche](#)
All Results
[T Gerace](#)
[R Dedrick](#)
[R Guha](#)
[S Poslad](#)
[M Theimer](#)

... [personal profile server with updates to additional user information gathered from monitoring user's ... - all 3 versions »](#)

R Dedrick - US Patent 5,710,884, 1998 - Google Patents

... FOR AUTOMATICALLY UPDATING PERSONAL **PROFILE** SERVER WITH ... INFORMATION GATHERED FROM

MONITORING **USER'S** ELECTRONIC CONSUMING ... 395/200.47 [58] Field of **Search** 395/828 ...

Cited by [105](#) - [Related Articles](#) - [Web Search](#)

[Method and apparatus for defining search queries and user profiles and viewing search results - all 6 versions »](#)

L Nikolovska, JA Martino, A Camplin - US Patent 6,473,751, 2002 - Google Patents

... Referring now to FIG. 3, a general overview of a **user's** interaction with the overall UI, which comprises **search**, **65 profile**, and overview worlds, may ...

Cited by [4](#) - [Related Articles](#) - [Web Search](#)

[Data search user interface with ergonomic mechanism for user profile definition and manipulation - all 4 versions »](#)

L Nikolovska, JA Martino, AF Camplin - US Patent 6,484,164, 2002 - Google Patents

... forming and editing **search** queries and **user profiles** in which ... 3-D scene employed by the **user** interface ... 1, the invention relates to database **search** and retrieval ...

Cited by [3](#) - [Related Articles](#) - [Web Search](#)

[Expressing user profiles for data recharging - all 5 versions »](#)

M Cherniack, MJ Franklin, S Zdonik - Personal Communications, IEEE [see also IEEE Wireless ..., 2001 - ieeexplore.ieee.org

... to express predicates over different types of data and **media**. ... Indeed, a **search** engine can be viewed as a ... has been significant work in **user profile** modeling and ...

Cited by [68](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Search engine to verify streaming audio sources - all 3 versions »](#)

JM Fitch, CC Hewitt, JA Bryant, EC Hewitt, BR ... - US Patent 6,647,389, 2003 - Google Patents

... NO \ 1 310 340 FILTER AND DISPLAY THE STREAM DATABASE USING THE **SEARCH** SPECIFICATIONS AND **USER** RLTER **PROFILE** -350 -360 ^- 370 FIG. 3 Page 8. ...

Cited by [1](#) - [Related Articles](#) - [Web Search](#)

[Method and apparatus for determining behavioral profile of a computer user - all 3 versions »](#)

TA Gerace - US Patent 5,848,396, 1998 - Google Patents

... it is often more efficient to **search** for agate in ... largest pools of databases and electronic **media** is found ... invention program 31 creates a **user profile** from the ...

Cited by [195](#) - [Related Articles](#) - [Web Search](#)

[... particular media devices in multiple media device computing systems based on context of a user or ... - all 3 versions »](#)

MM Theimer, MJ Spreitzer, MD Weiser, RJ Goldstein, ... - US Patent 5,812,865, 1998 - Google Patents

... 200.04; 395/200.12; 395/806; 379/93; 379/88 [58] Field of **Search** 395/800 ... Establish Communication Path Between Appropriate **Media** Devices ... 3 **User Profile** Calendar ...

Cited by [50](#) - [Related Articles](#) - [Web Search](#)

[SYSTEMS AND METHODS FOR BUILDING USER MEDIA LISTS - all 4 versions »](#)



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((user<in>metadata) <and> (profile<in>metadata))<and> (content <in>..."

Your search matched 163 of 1666250 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer friendly

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

View: [1-25](#) | [26-50](#) | [51-75](#) | [76-100](#)

- ☐ 1. **Multimedia content recommendation engine with automatic inference of user preferences**
 Ferman, A.M.; van Beek, P.; Errico, J.H.; Sezan MI;
Image Processing, 2003. ICIP 2003. Proceedings. 2003 International Conference on
 Volume 3, 14-17 Sept. 2003 Page(s):III - 49-52 vol.2
 Digital Object Identifier 10.1109/ICIP.2003.1247178
 AbstractPlus | Full Text: [PDF\(341 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Personalized delivery of digest video managed on MPEG-7**
 Echigo, T.; Masumitsu, K.; Teraguchi, M.; Etoh, M.; Sekihuchi, S.;
Information Technology: Coding and Computing, 2001. Proceedings. International Conference on
 2-4 April 2001 Page(s):216 - 220
 Digital Object Identifier 10.1109/ITCC.2001.918794
 AbstractPlus | Full Text: [PDF\(388 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Towards an integrated personalized interactive video environment**
 Mylonas, P.; Karpouzis, K.; Andreou, G.; Kollias, S.;
Multimedia Software Engineering, 2004. Proceedings. IEEE Sixth International Symposium on
 13-15 Dec. 2004 Page(s):124 - 131
 Digital Object Identifier 10.1109/MMSE.2004.82
 AbstractPlus | Full Text: [PDF\(272 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Personalization with Dynamic Profiler**
 Kun-Lung Wu; Aggarwal, C.C.; Yu, P.S.;
Advanced Issues of E-Commerce and Web-Based Information Systems, WECWIS 2001. Third International Workshop on.
 21-22 June 2001 Page(s):12 - 20
 Digital Object Identifier 10.1109/WECWIS.2001.933901
 AbstractPlus | Full Text: [PDF\(992 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Meta-data framework for constructing individualized video digest**
 Masumitsu, K.; Echigo, T.;
Image Processing, 2001. Proceedings. 2001 International Conference on
 Volume 3, 7-10 Oct. 2001 Page(s):390 - 393 vol.3
 Digital Object Identifier 10.1109/ICIP.2001.958133
 AbstractPlus | Full Text: [PDF\(328 KB\)](#) IEEE CNF
[Rights and Permissions](#)


☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((profile<in>metadata) <and> (media<in>metadata))<and> (content<in>..."

Your search matched 70 of 1666250 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

View: [1-25](#) | [26-50](#) | [51-70](#)

- ☐ 1. **Profiling Management for Personalised Multimedia Delivery On-Demand within the AXMEDIS Framework**
 Badii, A.; Sailor, M.; Nair, R.R.;
[Automated Production of Cross Media Content for Multi-Channel Distribution, 2006. AXMEDIS '06. Second International Conference on](#)
 Dec. 2006 Page(s):35 - 44
 Digital Object Identifier 10.1109/AXMEDIS.2006.41
[AbstractPlus](#) | Full Text: [PDF](#)(389 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Networked device capability and content media format matching scheme for multimedia access**
 Matsubara, F.M.; Hanada, T.; Imai, S.; Miura, S.; Akatsu, S.; Shinji Akatsu;
[Consumer Electronics, IEEE Transactions on](#)
 Volume 53, Issue 1, February 2007 Page(s):145 - 149
 Digital Object Identifier 10.1109/TCE.2007.339516
[AbstractPlus](#) | Full Text: [PDF](#)(623 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Content complexity adaptation for MPEG-4 audio-visual scene**
 Kyung-Ae Cha;
[Consumer Electronics, IEEE Transactions on](#)
 Volume 50, Issue 2, May 2004 Page(s):760 - 765
 Digital Object Identifier 10.1109/TCE.2004.1309459
[AbstractPlus](#) | Full Text: [PDF](#)(732 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Networked Device Capability And Content Media Format Matching Scheme For Multimedia Access**
 Matsubara, F.M.; Hanada, T.; Imai, S.; Miura, S.; Akatsu, S.;
[Consumer Electronics, 2007. ICCE 2007. Digest of Technical Papers, International Conference on](#)
 10-14 Jan. 2007 Page(s):1 - 2
 Digital Object Identifier 10.1109/ICCE.2007.341439
[AbstractPlus](#) | Full Text: [PDF](#)(827 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **User Study for Generating Personalized Summary Profiles**
 Agnihotri, L.; Kender, J.R.; Dimitrova, N.; Zimmerman, J.;
[Multimedia and Expo, 2005. ICME 2005. IEEE International Conference on](#)
 6-8 July 2005 Page(s):1094 - 1097
 Digital Object Identifier 10.1109/ICME.2005.1521616


☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((profile<in>metadata) <and> (content<in>metadata))<and> (schedule<in>..."

Your search matched 9 of 1666250 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[e-mail](#) [printer friendly](#)

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

 [Search](#)
☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

☐ [view selected items](#) [Select All](#) [Deselect All](#)

- ☐ 1. **MULS: A General Framework of Providing Multilevel Service Quality in Sequential Data Broadcasting**
 Hung, Hao-Ping; Chen, Ming-Syan;
[Knowledge and Data Engineering, IEEE Transactions on](#)
 Volume 19, Issue 10, Oct. 2007 Page(s):1433 - 1447
 Digital Object Identifier 10.1109/TKDE.2007.1072
[AbstractPlus](#) | Full Text: [PDF](#)(3021 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **VLSI architecture design of MPEG-4 shape coding**
 Hao-Chieh Chang; Yung-Chi Chang; Yi-Chu Wang; Wei-Ming Chao; Liang-Gee Chen;
[Circuits and Systems for Video Technology, IEEE Transactions on](#)
 Volume 12, Issue 9, Sep 2002 Page(s):741 - 751
 Digital Object Identifier 10.1109/TCSVT.2002.803221
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(406 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **To develop a set of profiles for a family of Alliant Energy's oil circuit breakers**
 Parthasarathy, A.; Heising, C.D.;
[Probabilistic Methods Applied to Power Systems, 2004 International Conference on](#)
 12-16 Sept. 2004 Page(s):1014 - 1019
[AbstractPlus](#) | Full Text: [PDF](#)(778 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Statistical bounds on the drop probability of assured forwarding services in DiffServ interior nodes under the processor sharing scheduling discipline**
 Bensaou, B.; Shixin Zhuang; Xiren Cao;
[Performance, Computing, and Communications, 2004 IEEE International Conference on](#)
 2004 Page(s):223 - 230
 Digital Object Identifier 10.1109/PCCC.2004.1394987
[AbstractPlus](#) | Full Text: [PDF](#)(745 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **The CloudSat Mission**
 Stephens, G.L.; Vane, D.G.;
[Geoscience and Remote Sensing Symposium, 2003. IGARSS '03. Proceedings. 2003 IEEE International](#)
 Volume 2, 21-25 July 2003 Page(s):1326 - 1328 vol.2
 Digital Object Identifier 10.1109/IGARSS.2003.1294097
[AbstractPlus](#) | Full Text: [PDF](#)(1353 KB) IEEE CNF
[Rights and Permissions](#)